

## 大豆イソフラボン類価格表


長良サイエンス株式会社

〒501-1121 岐阜市古市場 840


Tel 058-234-4257, Fax 058-234-4724

E-mail:nagara@nsgifu.jp, http://www.nsgifu.jp


Code No.	Storage Conditions	Product Name · Purity · Molecular Formula=Molecular Weight · [ CAS Registry Number ]	Quantity · Price (JPY)
NH010102 NH010103	冷暗所	Daidzein C <sub>15</sub> H <sub>10</sub> O <sub>4</sub> = 254.24 [486-66-8] ≥98% (HPLC)	10mg 5,000 100mg 29,800
NH010202 NH010203	冷暗所	Glycitein C <sub>16</sub> H <sub>12</sub> O <sub>5</sub> = 284.26 [40957-83-3] ≥98% (HPLC)	10mg 13,500 100mg 98,000
NH010302 NH010303	冷暗所	Genistein C <sub>15</sub> H <sub>10</sub> O <sub>5</sub> = 270.24 [446-72-0] ≥98% (HPLC)	10mg 5,000 100mg 19,000
NH012102 NH012103	冷暗所	Daidzin C <sub>21</sub> H <sub>20</sub> O <sub>9</sub> = 416.38 [552-66-9] ≥98% (HPLC)	10mg 12,000 100mg 98,000
NH012202 NH012203	冷暗所	Glycitin C <sub>22</sub> H <sub>22</sub> O <sub>10</sub> = 446.40 [40246-10-4] ≥98% (HPLC)	10mg 13,500 100mg 98,000
NH012302 NH012303	冷暗所	Genistin C <sub>21</sub> H <sub>20</sub> O <sub>10</sub> = 432.38 [529-59-9] ≥98% (HPLC)	10mg 13,500 100mg 98,000
NH013101	-20 °C	6''-O-Acetyldaidzin C <sub>23</sub> H <sub>22</sub> O <sub>10</sub> = 458.41 [71385-83-6] ≥98% (HPLC)	1mg 15,000
NH013201	-20 °C	6''-O-Acetylglycitin C <sub>24</sub> H <sub>24</sub> O <sub>11</sub> = 488.44 [134859-96-4] ≥98% (HPLC)	1mg 15,000
NH013301	-20 °C	6''-O-Acetylgenistin C <sub>23</sub> H <sub>22</sub> O <sub>11</sub> = 474.41 [73566-30-0] ≥98% (HPLC)	1mg 15,000
NH014101	-20 °C	6''-O-Malonyldaidzin C <sub>24</sub> H <sub>22</sub> O <sub>12</sub> = 502.42 [124590-31-4] ≥98% (HPLC)	1mg 15,000
NH014201	-20 °C	6''-O-Malonylglycitin C <sub>25</sub> H <sub>24</sub> O <sub>13</sub> = 532.45 [137705-39-6] ≥98% (HPLC)	1mg 15,000
NH014301	-20 °C	6''-O-Malonylgenistin C <sub>24</sub> H <sub>22</sub> O <sub>13</sub> = 518.42 [51011-05-3] ≥98% (HPLC)	1mg 15,000
NH015204	冷暗所	Isoflavone Aglycon Mixture B (Genistein ≥ 50%), from Soybean ≥Total 95% (HPLC)	1g 29,800
NH016104	冷暗所	Isoflavone Glucoside Mixture A (Daidzin ≥ 50%), from Soybean ≥Total 95% (HPLC)	1g 30,000
NH017102	2-10 °C	8-Hydroxydaidzein C <sub>15</sub> H <sub>10</sub> O <sub>5</sub> = 270.24 [75187-63-2] ≥98% (HPLC)	5mg 36,000
NH017202	2-10 °C	8-Hydroxyglycitein C <sub>16</sub> H <sub>12</sub> O <sub>6</sub> = 300.26 [113762-90-6] ≥98% (HPLC)	5mg 36,000
NH017302	2-10 °C	8-Hydroxygenistein C <sub>15</sub> H <sub>10</sub> O <sub>6</sub> = 286.24 [13539-27-0] ≥98% (HPLC)	5mg 36,000




Daidzein R<sub>1</sub>=R<sub>2</sub>=H  
 Glycitein R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 Genistein R<sub>1</sub>=OH, R<sub>2</sub>=H




Daidzin R<sub>1</sub>=R<sub>2</sub>=H  
 Glycitin R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 Genistin R<sub>1</sub>=OH, R<sub>2</sub>=H



6''-O-Acetyldaidzin R<sub>1</sub>=R<sub>2</sub>=H  
 6''-O-Acetylglycitin R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 6''-O-Acetylgenistin R<sub>1</sub>=OH, R<sub>2</sub>=H



6''-O-Malonyldaidzin R<sub>1</sub>=R<sub>2</sub>=H  
 6''-O-Malonylglycitin R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 6''-O-Malonylgenistin R<sub>1</sub>=OH, R<sub>2</sub>=H



8-Hydroxydaidzein R<sub>1</sub>=R<sub>2</sub>=H  
 8-Hydroxyglycitein R<sub>1</sub>=H, R<sub>2</sub>=OCH<sub>3</sub>  
 8-Hydroxygenistein R<sub>1</sub>=OH, R<sub>2</sub>=H